

SPACEFOLD FOLDING DOOR SOLUTIONS

TRANS-SPACE

MANAGING SPACE WITH OPERABLE WALLS AND DOORS



SPACEFOLD SERIES

FOLDING DOORS

Proudly New Zealand owned, managed and made!

SPACEFOLD SERIES

FOLDING DOORS

Folding doors are the perfect way to reduce the space taken up by standard solid doors, fill spaces that won't fit standard doors, or simply divide one area from another.

The Trans-Space Spacefold door fits the bill whatever you want to use it for – at work and at home, to create an office, bedroom, servery, wardrobe, dining room, pantry, laundry, storage area... the choices are endless.

Available as a single, rolling post or a dividing double, this accordion sliding door has a strong steel frame. Spacefold provides privacy and security and helps to save heating costs. It's easy to install – and it looks good too! You choose the finish that suits your décor, from fashion vinyl to luxurious fabrics that guarantee a stylish finish.

Need help choosing?

Spacefold is just one in the Trans-Space folding door range. For help with choosing the right door for your project, just contact us – our technical team will be happy to recommend a model to suit.



Spacefold series specifications

Tracks and closing moulds

- Aluminium no8 anodised bronze or powder-coated Arctic White.
- No 12 track (for commercial use) available only in powder-coated Arctic White.
- In suspended ceilings, use with sub-channel.
- Curved tracks available – check with Trans-Space first.

Trolleys

- 25mm solid nylon wheels.
- 25mm nylon-tyred ball-bearing wheels for doors more than 3000mm high and/or 9100mm wide.

Lead post

- 32mm x 32mm 16-gauge steel with four preceding-type wheels.

Rolling post

- Same dimension as lead panel.
- Door latches and opens at each end.

Intermediate post

- 32mm x 32mm to accept foot bolt, also required on openings wider than 6000 mm or as specified.

Back post

- 32mm x 32mm 16-gauge U-shaped steel secured to jamb by fixing clips and screws.

Handles

- The standard handle is a latch with handle and snib each side. Locks and other combinations are also available.

Pendant pulls

- Installed on all doors more than 2500mm high x 3000mm wide.

Hanging weight

- Approximately 9.80kg per square metre.

Fixing

- All necessary track and fixing screws etc are supplied.

Work by others

- Timber jambs to be straight and plumb.
- Timber head and floor to be straight and level.

Finishes

- Materials and Fabrics in a wide variety of colours and finishes, choose from the Trans-Space current selecton.
- Melded fabric (e.g. front runner and Prelude) in a full range of colours.

Special finishes

- Immense range of fabric alternatives and hardware colour variations available (subject to factory practicality). Talk to a Trans-Space representative or visit our factory/showroom.

Maximum size

- 4.0 metres high x 10.0 metres wide (double for pairs).

Stack dimensions

- Stack depth 155mm per metre of opening, plus 50mm (plus intermediate post if used).
- Thickness of the door in an open position is 205mm.


Required measurements

- Fully detailed measure of opening required on a Trans-Space measure sheet before manufacture can begin.
- Typical opening measurements required:
 - Width at top, middle and bottom.
 - Height at 1m intervals across opening.
 - Head detail.
 - Floor covering detail.
- If stacking is to a pocket, as-built pocket dimensions also required.


Installation

- DIY installation instruction sheet and all fixings supplied.


Typical elevation and plans




Wall pocket options



Track options



Track dimensions



Note

These and other detailed drawings are available as .dwg files and can be downloaded from www.trans-space.co.nz. If your requirements are not represented by any of the drawings here, please contact one of our technical experts on 09 274 4089.



If you're looking for the best in folding door solutions, you've come to the right place. Offering a record of more than 60 years' performance in New Zealand, the Trans-Space team has the knowledge, the experience and the expertise to match your requirements to the finest detail.

Tailored products...

Proudly Kiwi owned and operated, Trans-Space designs, builds and installs moveable walls and folding doors for every purpose – for businesses, homes, retail stores, schools, hotels, leisure facilities, conference venues, hospitals, rest homes... you name it, we've probably done it.

Every folding door is tailor-made for its location, its purpose and its users – and it's designed to last, with top-quality fittings, finishes and other raw materials sourced right here in New Zealand.

World-class standards...

You can rely on Trans-Space for quality. Accredited to ISO 9001:2000, we operate stringent quality control systems to ensure world-class products at competitive prices. Every wall and door we produce has a 12-month warranty.

We're also committed to innovation, with a product development programme focused on exploring new ideas, creating new solutions and delivering better performance in every product we make.

Service excellence...

Trans-Space has a reputation for service excellence. We'll work the way you want to work – with personal visits, in-depth product knowledge and on-site technical expertise and advice. Wherever your project and whatever your specifications, we'll be delighted to help.

Just talk to us

For more information on Trans-Space and our products:

- click on www.trans-space.co.nz
- phone us on 09 274 4089
- send an email to info@trans-space.co.nz
- fax us on 09 274 7058
- visit us at 12 Lovegrove Crescent, Otara, Auckland
- write to us at PO Box 58070, Greenmount, Manukau 2141.

We look forward to hearing from you!

walls
that **work**



TRANS-SPACE
MANAGING SPACE WITH OPERABLE WALLS AND DOORS

T: +64 9 274 4089
F: +64 9 274 7058
E: info@trans-space.co.nz
W: www.trans-space.co.nz

12 Lovegrove Crescent, Otara
PO Box 58-070, Greenmount
Manukau 2141, Auckland
New Zealand

Proudly New Zealand owned, managed and made!

ISO 9001: 2000 CERTIFIED